

PRODUCT GUIDE

HAND DRYERS

WASHROOM PRODUCTS




WELCOME TO StreamHygiene

PRODUCTS INCLUDE:

- UKs Best Hand Dryer Range
- Waterless Urinals
- Innovative Dispensers
- Aircare

WE OFFER:

- UK Warehousing
- Next Day Delivery
- Patented Innovation
- Technical Support & Training
- Team Building Corporate Events
- Conference Facilities



NEWBURY - COMPACT HANDS IN



WHITE + BLACK



3721

SILVER + GREY



3722

SPECIFICATION:

Rated Voltage: 220V-
Air Speed: 92m/s
Motor: Carbon Brush
Rated Input power: 1850W
Heating Power: 1100W
Waterproof to: IP24

CONSTRUCTION:

Net Weight: 5.8kg
Material: ABS
Dimension: 296×175×556mm

PRODUCT OVERVIEW:

- Sleek modern design
- HEPA filter
- Smart air-heating
- Timeout protection
- Water capture

WINDSOR – BEST SELLER



WHITE



4601

BLACK



4602

POLISHED



4603

SATIN



4604

ENERGY CONSUMPTION

Power Rating: 600/1400W
Watts Per Dry: from 1.83W
Rated Voltage: AC220-240V
50/60Hz

PERFORMANCE

Dry Time: 10-12 Seconds
Motor: 25,000rpm
Air Speed: 110m/s
No-touch Sensor: Yes

NOISE

Decibel Rating: 78dB

CERTIFICATION & SAFETY

Certified: CE
IP Rating: IPX1

CONSTRUCTION

Weight: 5.2kg
Material: Aluminium or
Stainless Steel
Dimensions: W295 x H320 x D165 mm

PRODUCT OVERVIEW

- Super energy-efficient motor
- Blue LED downlight
- Internal heating switch to choose warm or ambient airflow
- **Ideal for retro-fit**
- Steel cover - vandal resistant (4603 & 4604)
- Available in Polished/Satin Steel, White/Black Aluminium, or Custom Finish

3G - CONCEPT DESIGN & DISABILITY FRIENDLY



WHITE



4301

SILVER



4302

BLACK



4309

ENERGY CONSUMPTION

Power Rating:	800W
Watts Per Dry:	2.22W
Rated Voltage:	AC230V 50/60Hz

PERFORMANCE

Dry Time:	10-15 Seconds
Motor:	26,500rpm
Air Speed:	110m/s
No-touch Sensor:	Yes

NOISE

Decibel Rating:	75dB
-----------------	------

CERTIFICATION & SAFETY

Certified:	CE
IP Rating:	IP44

CONSTRUCTION

Weight:	7kg
Material:	Aluminium
Dimensions:	W340 x H430 x D234 mm

PRODUCT OVERVIEW

- Elegant, compact 'Hands-through' dryer
- Built-in water tank, 600ml capacity - Red light shows when full
- Recycles motorheat
- Energy efficient
- Option to pipe waste water away
- Aluminium body
- Manufactured in Europe
- Available in Silver, Black or White (& Custom)
- Ease of use for wheelchair users
- **Antibacterial Copper Filters**
- **Antibacterial coating**

OASIS – CLEAN AIR IONISATION



WHITE



4401

POLISHED



4402

ENERGY CONSUMPTION

Power Rating:	550/1250W
Watts Per Dry:	from 1.83W
Rated Voltage:	AC220-240V 50/60Hz

PERFORMANCE

Dry Time:	8-12 Seconds
Motor:	25,000rpm
Air Speed:	80m/s
No-touch Sensor:	Yes

NOISE

Decibel Rating:	75dB
-----------------	------

CERTIFICATION & SAFETY

Certified:	CE
IP Rating:	IPX1

CONSTRUCTION

Weight:	4kg
Material:	Stainless Steel
Dimensions:	W182 x H270 x D210 mm

PRODUCT OVERVIEW

- **Best Seller**
- Ceramic heating
- Energy-efficient motor
- Blue LED downlight
- Easy-fit junction box for quick installation
- Internal switch to choose warm or ambient airflow
- Available in White, Polished Chrome, or Custom Finish
- Optional fragrance ring
- **Built in ioniser - reduces airborne pollutants**

CHESTER – STYLISH



WHITE



2901

SILVER



2902

ENERGY CONSUMPTION

Power Rating:	650W
Watts Per Dry:	from 1.83W
Rated Voltage:	AC220V 50/60Hz

PERFORMANCE

Dry Time:	10-15 Seconds
Motor:	24,000rpm
Air Speed:	90m/s
No-touch Sensor:	Yes

NOISE

Decibel Rating:	75dB
-----------------	------

CERTIFICATION & SAFETY

Certified:	CE
IP Rating:	IP24

CONSTRUCTION

Weight:	4kg
Material:	ABS
Dimensions:	W232x H285 x D194 mm

PRODUCT OVERVIEW

- Ultra fast drying
- **Low power consumption**
- Downlight for drying zone
- Robust ABS body
- **IP24**

EXETER – DOUBLE – EPA FILTERED



WHITE



3701

SILVER



3702

ENERGY CONSUMPTION

Power Rating:	700/1850W
Watts Per Dry:	3.6W
Rated Voltage:	AC220-240V 50/60Hz

PERFORMANCE

Dry Time:	7-10 Seconds
Motor:	19,300rpm
Air Speed:	95m/s
No-touch Sensor:	Yes

NOISE

Decibel Rating:	70dB
-----------------	------

CERTIFICATION & SAFETY

Certified:	CE
IP Rating:	IPX4

CONSTRUCTION

Weight:	11.3kg
Material:	ABS Cover
Dimensions:	W300 x H700 x D215 mm

PRODUCT OVERVIEW

- **Longlife brushless motor**
- Efficient, high-speed airflow
- Elegant design
- Reduces slip & trip hazard
- Water Capture Tray - 700ml
- Switchable Power
- **UV Filter sterilization**
- **Double EPA filter**
- **IPX4**

CAMBRIDGE – RELIABLE-BUDGET SAVER



WHITE



4801

SILVER



4802

ENERGY CONSUMPTION

Power Rating:	1500W
Watts Per Dry:	7.29W
Rated Voltage:	AC220V 50/60Hz

PERFORMANCE

Dry Time:	30-40 Seconds
Motor:	23,000rpm
Air Speed:	12m/s
No-touch Sensor:	Yes

NOISE

Decibel Rating:	60dB
-----------------	------

CERTIFICATION & SAFETY

Certified:	CE
IP Rating:	IPX1

CONSTRUCTION

Weight:	3kg
Material:	ABS/Steel
Dimensions:	W225 x H285 x D165 mm

PRODUCT OVERVIEW

- Low energy
- Low cost
- Robust ABS/Steel Body
- **Low noise level**
- No touch operation

ASCOT - CLASSIC DESIGN



WHITE



3300

POLISHED



3301

SATIN



3302

ENERGY CONSUMPTION

Power Rating:	2300W
Watts Per Dry:	6.39W
Rated Voltage:	AC220 - 240V 50/60Hz

PERFORMANCE

Dry Time:	15-20 Seconds
Motor:	7200rpm
Air Speed:	26m/s
No-touch Sensor:	Yes

NOISE

Decibel Rating:	70dB
-----------------	------

CERTIFICATION & SAFETY

Certified:	CE
IP Rating:	IPX1

CONSTRUCTION

Weight:	4kg
Material:	Stainless Steel
Dimensions:	W267 x H235 x D210 mm

PRODUCT OVERVIEW

- **360° revolving nozzle**
- No touch - reduces cross contamination
- Blue LED downlight
- Available in White, Polished or Satin Stainless Steel

MINI JET – COMPACT UNIT



WHITE



4701

CHROME



4702

ENERGY CONSUMPTION

Power Rating:	900W
Watts Per Dry:	from 3.6W
Rated Voltage:	AC220V 50/60Hz

PERFORMANCE

Dry Time:	20 Seconds
Motor:	28,000rpm
Air Speed:	200m/s
No-touch Sensor:	Yes

NOISE

Decibel Rating:	75dB
-----------------	------

CERTIFICATION & SAFETY

Certified:	CE
IP Rating:	IP23

CONSTRUCTION

Weight:	1.2kg
Material:	ABS Cover
Dimensions:	W156x H238 x D99.5 mm

PRODUCT OVERVIEW

- Fast Drytime
- Ideal for Smaller Washrooms
- Low/Medium Traffic

DURHAM – HEPA FILTERED AIR



WHITE



3901

POLISHED



3902

SATIN



3903

ENERGY CONSUMPTION

Power Rating:	550W / 1400W
Watts Per Dry:	3.88 W
Rated Voltage:	AC220V 50 / 60Hz

PERFORMANCE

Dry Time:	10- 15 Seconds
Motor:	20,000rpm
Air Speed:	70m/s
No-touch Sensor:	Yes

NOISE

Decibel Rating:	70dB
-----------------	------

CERTIFICATION & SAFETY

Certified:	CE
IP Rating:	IPX1

CONSTRUCTION

Weight:	4.8kg
Material:	Stainless Steel
Dimensions:	W302 x H312 x D172 mm

PRODUCT OVERVIEW

- **Unique design**
- Low energy
- Blue LED downlight
- **Stainless steel cover**
- Available in white, polished or satin stainless steel
- **HEPA filter included**

THE ATLANTIC - POOL & SPA HAIR DRYER



ATLANTIC WHITE



9041

ATLANTIC BLUE



9042

ATLANTIC RED



9043

SPECIFICATION

- 2000W
- IP23 rating
- IK10 rating
- Electrical Safety in case of malfunction
- On/off switch for maintenance and cleaning
- Adjustable height range
- 70dB noise rating
- Infrared sensor - no need to hold the hair dryer well in use
- Drying zone light

PRODUCT OVERVIEW

- **Quiet**
- **Dryer has 180 degree rotation**
- **Chlorine safe**
- **Hard waring and professional.**

SANITIZER/SOAP DISPENSERS/AIR CARE

Automatic Dispenser



7502

PRODUCT OVERVIEW

- Refillable bottle (1200ml)
- Lockable with window design
- Supports DC and battery, battery approximately 30,000 uses
- Light indicator for low power
- Obstruction indicator

SPECIFICATION

W154 x H282 x D114 (mm)
White ABS

PACKING

Carton Size: W49.5 x H31 x D49.5 (cm)
Gross Weight: 10.5kgs
Net Weight: 9.6kgs
Qty per carton: 12pcs

Manual Dispenser



PRODUCT OVERVIEW

- Refillable bottle (1000ml)

SPECIFICATION

W130 x H270 x D115 (mm)
Weight 0.65 kg
White ABS

Automatic Dispenser



7502

PRODUCT OVERVIEW

- Refillable bottle (1000ml)
- Lockable with window design
- Support DC and battery, battery approximately 30,000 uses
- Light indicator for low power
- Obstruction indicator

SPECIFICATION

W130 x H270 x D115 (mm)
White ABS
Dose: 1 mil per drop*

PACKING

Carton Size: W59.5 x H29 x D41 (cm)
Gross Weight: 14.9kgs
Net Weight: 13.4kgs
Qty per carton: 15pcs

LED AIR FRESHENER



7107

PRODUCT OVERVIEW

- Lockable dispenser
- Easy to use
- 5/10/15/30 minute settings
- 12/24 hour setting
- 2 x D size batteries required
- Customised 'Own Branded' available

SPECIFICATION

W80 x H230 x D91 (mm)
White ABS

*Dose may vary slightly with liquid type

STREAMLESS WATERLESS URINALS

PRODUCT OVERVIEW

Urinal flushing is one of the worst offenders when it comes to excess water consumption in buildings. Not only is there huge wastage but rising water charges mean that it is a problem your business cannot afford to ignore.

The StreamLess system, utilising our pioneering technology, provides a cost effective and environmentally friendly solution that can eradicate urinal water consumption. StreamLess is proven a more hygienic and odour free solution.

REPLACEMENT CARTRIDGES



9004

CLEANER




9019

REPLACEMENT VALVE



9018

STREAMLESS URINAL



Install Pack 1.25" - 9001

Install Pack 1.5" - 9002

Install Pack 2" - 9003

KEY ADVANTAGES

- **Money saving**
 - Valve not susceptible to back pressure, avoids flooding
 - No chemicals required
 - Catches debris
- **Prevent odours** above and below the bowl
 - Reduces blockages
 - Breaks up uric salts
- **Retro fit**
 - Patented
 - No liquid seal required
 - COSHH free non-hazardous
 - Easy install
 - Very low maintenance
- **PROTECT THE ENVIRONMENT AND SAVE MONEY**

Other products available

- **Urinals**
- **Annual value pack**
- **Annual starter pack**



StreamHygiene
Washroom Innovation



Manton House Estate,
Manton,
Marlborough,
Wiltshire,
SN8 1PN

Tel: 01672 511 007
Email: sales@streamhygiene.co.uk